

### **SERVICE MANUAL**

# A-R600

### **Integrated Stereo Amplifier**

### **NOTES**

- PC boards shown are viewed from parts side.
- The parts with no reference number or parts number in the exploded views are not supplied.
- As regards the resistors and capacitors, refer to the circuit diagrams contained in this manual.
- A Parts marked with this sigh are critical components.
   They must be replaced with identical components refer to the appropriate parts list and ensure exact replacement.
- Parts of [ ] mark can be used only with the version designated.

[J]: JAPAN [US]: U.S.A. [C]: CANADA

[E]: EUROPE [UK]: U.K. [GE]: GENERAL EXPORT

### **CONTENTS**

PECIFICATION	3
DJUSTMENTS POINT · · · · · · · · · · · · · · · · · · ·	4
VIRING DIAGRAM · · · · · · · · · · · · · · · · · · ·	5
LOCK DIAGRAM · · · · · · · · · · · · · · · · · · ·	7
CHEMATIC DIAGRAM · · · · · · · · · · · · · · · · · · ·	9
RINTED CIRCUIT BOARDS · · · · · · · · · · · · · · · · · · ·	· · 13
XPLODED VIEW······	
LECTRICAL PARTS LIST · · · · · · · · · · · · · · · · · · ·	20

### **SPECIFICATIONS**

### Power Output (0.5% THD, 1 kHz, $4\Omega$ ):

120 W + 120 W

#### **Total Harmonic Distortion:**

0.02% (1kHz,  $8\Omega$ , 60 W)

### S/N (Input shorted):

PHONO: 65 dB (IHF-A)

CD, TUNER, AUX, TAPE, VCR: 90 dB (IHF-A)

#### Input Sensitivity/ Impedance:

PHON0 :  $2.8 \text{mV/47 k}\Omega$ 

AV 1, AV 2, CD, TAPE, TUNER :  $180 \text{mV}/47 \text{ k}\Omega$ 

#### **Tone Control:**

BASS:  $\pm$ 10 dB (100 Hz) TREBLE:  $\pm$ 10 dB (10 kHz)

#### Channel Separation (Input shorted):

65 dB (1 kHz)

### Frequency Response: 5 Hz - 80 kHz

(SOURCE DIRECT, 1W)

#### General

Power Consumption: 280 W

(at 1/8 output, 6% Over Voltage)

Power Supply: AC 230 V, 50 Hz [E/B/S]

AC 230 V/120 V , 50-60 Hz [U] AC 120 V , 60 Hz [U.S.A/CANADA]

**Dimensions (W x H x D)**: 430 x 142 x 355 mm

Weight (net): 9.7 kg (net)

#### Standard Accessories :

Remote Control Unit x 1 Operator's Manual x 1

- Improvements may result in specifications and features changing without notice.
- Illustrations may differ slightly from production models.

### **ADJUSTMENT POINT**

### **IDLING CURRENT ADJUSTMENT**


CONTROLS SETTING : TONE(BASS & TREBLE), BALANCE: MID POSITION

**VOLUME: MINIMUN POSITION** 


LOUDNESS, SOURCE DIRECT: OFF POSITION

ADJUST	MEASURED ACROSS	VOLTMETER READING
VR51	TP02	5mV
VR52	TP01	5mV


<sup>\*</sup> Adjustment should be done after switch on the set for 5 minutes.




### **WIRING DIAGRAM**




### **BLOCK DIAGRAM**





### **SCHEMATIC DIAGRAM**






### **PRINTED CIRCUIT BOARDS**





### **EXPLODED VIEW**



17

EXPLODED VIEW
---------------

19

REF. NO.	D VIEW PARTS NO.		REMARKS
REF. NO.	PARTO NO.		REMARKS
1	9A07307100	PANEL, FRONT	KGW1A245ZH10
2	9A07306100	KNOB , ROTARY	KBN2A052Z
3	9A07307400	VOLUME CAP ASS'Y(A)	KGX1A216YA
4	9A07047400	BADGE	KGB1A056H12
5	9A07307300	VOLUME CAP ASS'Y(A)	KGX1A216WA
6		KNOB , ROTARY	KBN2A052Z
7		INDICATOR, FUNCTION	KGL1A109
8		KNOB , POWER	KBT1A604
9		KNOB, TACT	KBT1A603
10	9A0/306900	ORNAMENT, REMOTE	KGR1A154
11	9407306800	INDICATOR, FUNCTION	KGL1A162
12		KNOB, POWER (PUSH)	KBC1A095
13		BRACKET, POWER	KMD1A363
14		KNOB , SPEAKER	KBC1A114
15		KNOB , DIRECT	KBT1A605
16		KNOB , LOUDNESS(PUSH)	KBC1A115
17		HOUSING , VOLUME	KGX1A219C12
	9A03741300		KNE4060
19		BRACKET, VOLUME	KMK1A019
20	9A05917200	GROUND TERMINAL	KMA2A001
21		VOLUME PCB	
22		POWER PVB(MOMS)	
23		SUB PCB ASS'Y	
24	9407308300	CABINET, TOP	KKC1B085S1
		CORD , POWER	BJA2B033Z
M	0,10,00000		20,122002
26 ⚠	9A06783800	BUSHING,AC POWER CORD	KHR1A030
27		PANEL, REAR	KKF4A146XK1
28	9A06679300	H/S COVER	KGP1A015
29		SPEAKER PCB	
30		REMOTE PCB	
31	9A07308800	HEAT SIMK	KMY1A122
32	9707300000	MAIN PCB	NWITTA122
33	9A06679000		BDMMDN4RB4MRC
34		FRAME FAN	KGP1A016
35	9A06678800		KDD1A013
. 00	0,1000,000	7.11	NOOTAGIO
36	9A07308600	TRANS, POWER	KLT5V016ZE
37	9A07310200	CHASSIS, BOTTOM	KUA4A148
38	9A05891400	FOOT,FRONT	KKL1A042H11
39	9A06754800	RUBBER, CUSHION	KHG1A050
40		FOOT,RUBBER (BLACK)	KKL1A012
41		PCB HOLDER	KHE170
42	9A07307700	HOUSING , VOLUME	KGX2A219C12
S1	9405338800	SCREW KTB4+6F	KTB4+6F
S2		SCREW,KTB3+10G	KTB3+10G
S3		SCREW,KTB3+8J	KTB3+8J
S4		SCREW,KTB4*12JFZ	KTB4+12JFZ
S5		SCREW,KTWS3+10G	KTWS3+10G
S6		SCREW KTB3+8JFZ	KTB3+8JFZ
\$10		SCREW,KTB3+10GFZ	KTB3+10GFZ
S11		SCREW,KTB4*8F	KTB4+8F
S12	9A06699900		KSN2+4
S13		SCREW,KTB3+14J	KTB3+14J
S14		SCREW,KTB3+8J	KTB3+8J
S15	9A05339100 9A058949-00	SCREW KTW3+12J	KTW3+12J KBA2C4000NRE
Δ	anuu0a4a-00	1005,140	NOAZOMOUNINE
	ACCESSORIE		
		DESCRIPTION	REMARKS
	9407125100	OWNER'S MANUAL, E/F/G/I/S A-R600	KQX1A484Z
		REMOCON XMTR ASSY(UR-592)	KARTAR600
	0,10,00000	TEMODOR AMILIA AGOITOR GOLA	TV II T I I I I I I I I I I I I I I I I

PARTS LIST

### **ATTENTION**

- 1. When placing an order for parts, be sure to list the Part No., Model No, and the description of each part. Otherwise, the non-delivery of the part or the delivery of a wrong part may result.
- 2. Please make sure that Part No. is correct when ordering.
- If not, a part different from the one you ordered may be delivered.
- 3. Since the parts shown in Parts List of Preliminary Service Manual may have been the subject of changes, plaese use this Parts List for all future reference.

### **HOW TO USE THIS PARTS LIST**

- 1. This Parts List lists those parts which are considered necessary for repairs. Other common parts, such as resistors and capacitors, are listed in the "Common List for Service Parts" from which these parts should be selected and stocked.
- 2. Parts not shown in the Parts List and "Common List for Service Parts" will not in principle be supplied.
- 3. How to rear the Parts List.

### RESISTORS AND CAPACITORS

Notes: Part numbers are indicated for most mechanical parts.

Please use this part number for parts order.

IMPORTANT SAFETY NOTICE.

Components identified by  $\Lambda$  mark have special characteristics important for safety.

When replacing any of these components, use only manufacture's specified parts.

The unit of resistance is OHM(Ω)

K=1000(Ω), M=1000(KΩ)

The unit of capacitance is MICROFARED(μF)
 P=10 <sup>-6</sup>μF

### ■ Numbering System of Resistor

#### ----

### Example KBD 25 F

KRD	25	F	J	101
Type	Wattage	Shape	Tolerance	Value

<b>Resistor Type</b>	Wattage	Tolerance
KRD: Carbon	20:1/5W	F:= ±1%
KRG: Metal Oxide	25:1/4W	J:= ±5%
	50:1/2W	K:= ±10%
	1:1W	
KRF:Metal Cement	2:2W	
	3:3W	

### ■ Numbering System of Capacitor

### Example

KCKR	1H	101	K	В
Type	Voltage	Value	Tolerance	Peculiarity

	Voltage		Talauanaa	
Capacitor Type	ECEA Type	Other	Tolerance	
KCB:Ceramic KCC:Ceramic KCK:Ceramic KCQI:Polyester KCQP:Polypropylene KCQS:Polystyrol	0J:6.3V 1A:10V 1C:16V 1E:25V 1H:50V 1V:35V	1H:50V DC 1:125V DC KC:400V AC	C: ±0.25pF G: ±2% J: ±5% K: ±10% Z: +80%, -20%	

### **WARNING**

 $\Lambda$ (\*) INDICATES SAFETY CRITICAL COMPONENTS. FOR CONTINUED SAFETY, REPLACE SAFETY CRITICAL COMPONENTS ONLY WITH MANUFACTURE'S RECOMMENDED PARTS.

### **AVERTISSEMENT**

 $_{\Lambda}$ (\*) IL INDIQUE LES COMPOSANTS CRITIQUES DE SÉCURITÉ. POUR MAINTENIR LE DEGRÉ DE SÉCURITÉDE L'APPAREIL, NE REMPLACER QUE DES PIÉCES RECOMMANDEES PAR LÉ FABRICANT.

MAIN PCB ASS'Y REF. NO. PARTS NO.	D. DESCRIPTION	DEMARKS
KLI. NO. FARTS N	J. DESCRIPTION	REMARKS
9A0730900		KOP11094D
9A0667880	00 MAIN, PCB	KUP11094P
9A0667900	00 MOTOR	KDD1A013 BDMMDN4RB4MRC
	O CAP,ELECT TDL75V103N	KCETDL75V103N
C909.910 A 9A0622670		KCEA1EH102E
C911.912 <u>A</u> 9A0730660 D201-205 9A0139050		KCEA1HH222E KVD1N4148MT
D206 ⚠ 9A0590230	0 DIODE,ZENER,6.2Z	KVDUZ6.2BMT
D207-212 9A0139050		KVD1N4148MT
D401-408 9A0139050 D501-506 ⚠ 9A0590230	0 DIODE,1N4148MT 0 DIODE,ZENER,6.2Z	KVD1N4148MT KVDUZ6.2BMT
D505-514 9A0139050		KVD1N4148MT
D515 9A0139060	0 DIODE,1N4148T	KVD1N4148T
D516-534 9A0139050 D901 <u>A</u> 9A0598790		KVD1N4148MT
D902-909 ⚠ 9A0519470	0 DIODE, DRIDGE, BF 02304WF	BVDKBPC2504WF KVD1N4003ST
D910.911 A 9A0590220	0 DIODE,ZENER,30V	KVDUZ30BMT
	0 DIODE,1N4148MT	KVD1N4148MT
	0 IC NJU7312L 0 IC,MC4558S	BVINJU7312L KVIMC4558S
	0 IC MC7815C	KVIMC7815C
IC92	0 IC MC7915C	KVIMC7915C
IC93 <u>∧</u> 9A0534150 JK01-03 9A0676180	0 IC, KA7805-ABTU 0 TERMINAL,IN/OUT	KVIMC7805C
L501.502 9A0589580	O COIL,SPEAKER	KJJ4R012Z KLR9Y003Z
Q101.102 9A0589600	0 TR,KTC2878B	KVTKTC2878BT
	0 TR,KTC2878B	KVTKTC2878BT
Q201-204 9A0589280 Q205-207 9A0374520	O TR,KTC3198YT O TR,KSR2206TA	KVTKTC3198YT KVTKSR2206T
	TR,KTC3203YT	KVTKTC3203YT
	TR,KTC3198YT	KVTKTC3198YT
Q211 9A03745200 Q212 9A05892800	D TR,KSR2206TA D TR,KTC3198YT	KVTKSR2206T
Q213 9A0374730	TR,KTOS19611 TR,KSB811-YTA	KVTKTC3198YT KVTKSB811YT
Q401-404 9A06236600	TRKTA1268GRT	KVTKTA1268GRT
Q405.406 9A06236700	TR,KTC3200GRT	KVTKTC3200GRT
	TR,KTA1266YT TR,KTC3198YT	KVTKTA1266YT KVTKTC3198YT
Q411.412 9A06225500	T.R 2SC2911S	BVT2SC2911S
Q501-503 9A05896000	TR,KTC2878B	KVTKTC2878BT
	) F.E.T KTK117Y	KVTKTK117YT
	TR.,2SA1175	BVT2SC1841F BVT2SA1175HF
Q517.518 9A05977900	TR.,2SA1142	BVT2SA1142P
	7 TR.,2SC2682 7 TR.,2SD1585	BVT2SC2682P
	7 TR.,2SD1363 7 T.R 2SC3423O	BVT2SD1585L BVT2SC3423O
Q527.528 9A07305200		BVT2SA1360O
Q529.530 9A05977600		BVT2SC4883A
Q531.532 9A05977500 Q533.534 9A05987800		BVT2SA1859A BVT2SC3519A
Q535.536 9A05977700		BVT2SA1386A
Q901 9A05196800		KVTKSC2316YT
Q902 9A05196700 R549.550		KVTKSA916YT
	RES , METAL OXIDE FILM RES , METAL OXIDE FILM	KRG1ANJ681H KRG1ANJ471H
R553.554 🛕 9A05978400	R.,27K-OHM,1W	KRG1ANJ273H
	R,METAL OXIDE FILM 1W 10	KRG1ANJ100H
R559-562 ⚠ 9A05896300 R563.564 ⚠ 9A05979000		KRF5EKR22H
R565.566 A 9A05978900		KRG2ANJ4R7H KRG2ANJ100H
R567-570 🛕 9A05978700	R.,10-OHM	KRD25FJ100T
R575.576 <u>A</u> 9A05896500 R901.902 <u>A</u> 9A05896900		KRG2ANJ391H
R901.902 //\text{\text{A}} 9A05896900 R903-906 /\text{\text{\text{A}}} 9A06760900		KRD50FJ123T KRQ1AJR47H
R907-910 \Lambda 9A05896900	R,CARBON 1/2W 12K	KRD50FJ123T
R913 <u>A</u> 9A07309900		KRQ1AJ100H
RL01-04 9A05987100 SP01 9A06677000		KSL1A007ZE
SP02 9A07308000		KJJ5P011Z KJJ5P014Z
TW01 9A06675400	THERMISTER	KRTNTC5D103
VR51.52 9A07305100	RES , SEMI FIXED	BVNCA471B01G
	l	

X301

9A05193000 CRYSTAL,

08000E160C

## **TEAC**

TEAC CORPORATION	3-7-3, Nakacho, Musashino-shi, Tokyo 180-8550, Japan Phone: (0422) 52-5081	
TEAC AMERICA, INC.	7733 Telegraph Road, Montebello, California 90640 Phone: (213) 726-0303	
TEAC CANADA LTD.	5939 Wallace Street, Mississauga, Ontario L4Z 1Z8, Canada Phone: 905-890-8008	
TEAC MEXICO, S.A. De C.V	Privada De Corina, No.18, Colonia Del Carrmen Coyoacon, Mexico DF 04100 Phone: 5-658-1943	
TEAC UK LIMITED	5 Marlin House, Marlins Meadow, The Croxley Centre, Watford, Herts. WD1 8YA, U.K. Phone: 01923-8196 99	
TEAC DEUTSCHLAND GmbH	Bahnstrasse 12, 65205 Wiesbaden-Erbenheim, Germany Phone: 0611-71580	
TEAC FRANCE S. A.	17 Rue Alexis-de-Tocqueville, CE 005 92182 Antony Cedex, France Phone: 01.42.37.01.02	
TEAC BELGIUM NV/SA	P.A. TEAC Nederland BV, Perkinsbaan 11a, 3439 ND Nieuwegein, Netherlands Phone: 0031-30-6048115	
TEAC NEDERLAND BV	Perkinsbaan 11a, 3439 ND Nieuwegein, Netherlands Phone: 030-6030229	
TEAC AUSTRALIA PTY., LTD. A.C.N. 005 408 462	106 Bay Street, Port Melbourne, Victoria 3207, Australia Phone: (03) 9644-2442	
TEAC ITALIANA S.p.A.	Via C. Cantù 11, 20092 Cinisello Balsamo, Milano, Italy Phone: 02-66010500	

PRINTED IN COREA